

Standard sauna house quotation

www.saunamanufacture.com www.outdoorisaunahouse.uk www.isaunahome.com

Manufacturer

iSauna Design Kft.

Address: 9174 Dunaszeg, Liget u. 11.

Tel.: +36 70 362 5830

E-mail: info@szaunagyartas.hu

Swift: OTPVHUBB

IBAN Eur: HU 40 1176 3378 4225 3882 0000 0000

IBAN Huf: HU 79 1173 7007 2073 2756 0000 0000

Date: 10.03.2026

Contact person: iSauna Design Kft.

E-mail: info@szaunagyartas.hu

Tel.: +36 70 362 5830

Dear Customer!

We would like to take this opportunity and thank you for contacting us regarding your intention to purchase one or more of our products. We are convinced that you have made the right choice by selecting us as your sauna supplier. Thanks to our TUV-certified manufacturing technology, we are ready to precisely manufacture whatever unique solutions our clients dream of. We take into consideration special local features and terrain conditions and provide consultation services for our clients to help them find the solution that best suits their needs.



Image for illustration purposes only.

Manufacturing engineering solution


| Main features | |
|-----------------|-----------------------------|
| Sauna type | Custom-built wellness house |
| Number of seats | 2-4 person |
| Size | 11,95 x 4,42 x 2,61 m |

| Wall structure | |
|---|---|
| Structural wood, spruce 43x145 mm |  |
| Alukraft aluminium heat reflection foil in wall, roof |  |
| Mastermax 3 classic vapor permeable / moisture barrier foil |  |
| Purenit frame for sauna base 2440x1220x20 mm |  |
| Metal screw anchor 10x120 mm |  |
| Structural wood, spruce 43x190 mm |  |
| Rockwool Multirock 150 x 600 x 1000 mm |  |
| Rockwool Multirock 100 x 600 x 1000 mm |  |

| Beam system | | |
|-------------------|--|--|
| Columns/beams | 10 x 16 cm, BSH glued beam |  |
| Columns/beams | 16 x 16 cm, BSH glued beam |  |
| Fastening element | Hidden T plinth for 10x16 column (2piece) |  |
| Fastening element | Hidden T plinth for 16x16 column |  |
| Fastening element | Rothoblaas hidden connector for 10x16 beam |  |

| Roof structure | | |
|---|--|---|
| Structural wood, spruce 43x145 mm | |  |
| Structural wood, spruce 43x43 mm | |  |
| Alukraft aluminium heat reflection foil in wall, roof | |  |
| Knauf ekoboard insulation 75 mm | |  |

Manufacturing engineering solution


| Roof structure | |
|---|---|
| Mastermax 3 classic vapor permeable / moisture barrier foil |  |
| OSB board board size: 2500x1250x18 mm |  |
| Bauder Top TS40 nsk roofing felt |  |
| Roofbond roof aerator for outdoor saunas |  |
| Individual unique tin roof (RAL7016) |  |
| sheetmetal gutter/m (RAL7016) |  |

| Canopy | |
|---------------------|---|
| Canopy construction | Canopy structure (11.95x1.0m)  |

| Panelling | |
|----------------|--|
| Design element | I. class Canadian red cedar solid wood design wall panel  |

| Panelling | | |
|---|--|---|
| Design element | <p>I. class Thermowood ash solid wood design wall panel (3piece)</p>  <p>Milesi impregnating oil treatment</p> |  |
| Trapezoidal or sheet metal outer cladding | <p>Individually manufactured trapezoidal plate RAL7016 Frame color: RAL7016</p> |  |
| External panelling | <p>1st class Canadian Red Cedar panelling 15 x 98 mm, minimal U profile</p>  <p>Milesi coloured paneling paint in 3 coats</p> |  |
| External panelling | <p>Mocopinus Carboris G4R Rustic Larch 20,5x4000x115mm</p> |  |
| Internal panelling | <p>1st class Canadian Red Cedar panelling 15 x 98 mm, minimal U profile</p> |  |
| Internal panelling | <p>OSB wall covering</p> |  |
| Internal panelling | <p>Vinyl flooring for wall application</p> |  |
| Flooring | <p>Professional floor layering splash proof laminate parquet (2piece)</p>  <p>Magnum heat board underfloor heating under parquet - 15 m2</p>  <p>Falcon U-Heat wifi control touch thermostat with floor temperature sensor</p>  <p>Magnum heat board underfloor heating under parquet - 19 m2</p> |  |

| Panelling | |
|-------------|--|
| Flooring | <p>Professional floor layering with vinyl flooring</p>  <p>Magnum heat board underfloor heating under parquet - 8 m2</p>  <p>Falcon U-Heat wifi control touch thermostat with floor temperature sensor</p>  |
| Water block | <p>Wet room osb+drywall</p>  |

| Sauna elements | |
|-----------------------------------|---|
| Benches | <p>Ergonomic design flooring made of first-class Canadian red cedar</p>  |
| Sauna heater | <p>HARVIA Virta Pro 13,5kW</p>  <p>Chipped sauna stone 10-15cm</p>  |
| Control panel | <p>iSauna Home smart control with touch screen front panel</p>  |
| Control panel | <p>Magnetic switcher</p>  |
| Drip tray | <p>Sauna heater drip tray for Harvia sauna heater</p>  |
| Protective frame for sauna heater | <p>Wooden protective framein, minimal design, for sauna heaters</p>  |

| Windows and doors | | |
|----------------------------|--|---|
| Internal windows and doors | <p>8 mm ESG hardened, Security Parsol Bronze (3piece)</p>  iSauna, unique wooden door handle  Swing door hinges black |  |
| Internal windows and doors | <p>8 mm ESG tempered, Security water clear (2piece)</p>  Swing door hinges black  iSauna, unique wooden door handle |  |
| External windows and doors | <p>Glass door with aluminium casing (2piece) Frame color: RAL7016</p>  Thermally insulated Float, clear glass |  |
| External windows and doors | <p>Fixed glass element in unique aluminium case (4piece) Frame color: RAL7016</p>  Thermally insulated Float, clear glass |  |
| External windows and doors | <p>Unique hopper window in aluminium casing Frame color: RAL7016</p>  Thermally insulated Float, clear glass |  |
| External windows and doors | <p>Aluminium door, full, with oil brake, lockable Frame color: RAL7016</p> |  |

| Electricity | | |
|-----------------|--|---|
| Electricity box | Steel plate joint-box 600x500x150 mm, IP66 |  |

| Electricity | | |
|---------------------------|--|---|
| Electricity box | Eaton main switch IP65 |  |
| Electricity box | Complete electrical installation materials (circuit breakers, rails and main switch) |  |
| Lighting | Kanlux Seidy spotlight set - 2, black |  |
| Lighting | Neutral white COB LED strip for outdoor use with power supply, switchable 5 m |  |
| Lighting | Neutral white (4000K) COB LED strip for indoor use with power supply, switchable 5 m |  |
| Switch, Connector, Switch | Schneider Electric Asfora - Switch, single pole, indoor, complete, anthracite |  |
| Switch, Connector, Switch | Schneider Electric Asfora - Socket 2P+F, indoor, complete, 1-gang, anthracite |  |
| Switch, Connector, Switch | Schneider Electric Asfora - Switch, changeover switch, complete, anthracite |  |
| Switch, Connector, Switch | Schneider Electric Asfora - 2P+F connector, complete, vertical, 2-gang, anthracite |  |
| Switch, Connector, Switch | Schneider Electric Asfora - Switch, double pole, outdoor, complete, anthracite |  |

| Electricity | | |
|---------------------------|---|---|
| Switch, Connector, Switch | Sedna Design TV/RJ45 Cat6 UTP Combined Outlet, Anthracite |  |
| Air ventilation | Drawable ventilation wood |  |
| Air ventilation | Automatic vapour-detecting ventilation fan E 100 GT BK black glass with front cover |  |
| Electricity cables | Complete wiring of the sauna building |  |

| Accessories | | |
|-------------|--|---|
| Accessories | Geberit Duofix Basic Wc |  |
| Accessories | Geberit Delta Grey actuator plates |  |
| Accessories | Bluetooth music sound system (1 pc Bluetooth amplifier, 8 IP protected speakers) |  |
| Accessories | Smart application sauna control (LAN module) |  |
| Accessories | Black Aluminum & Bamboo Sauna Set |  |

| Accessories | | |
|-------------|--|---|
| Other | Delaware fridge |  |
| Other | Zipscreen shading |  |
| Other | Quadron Ready Max sink with faucet and dispenser grey/steel TQ7744RMSZ |  |
| Other | VEVOR outdoor wall lights, 2-pack, 800 mm long strip, modern exterior wall fixtures, 3000K warm white, IP65 waterproof, rustproof outdoor wall lighting for house, porch, garage |  |
| Other | Bespoke designer kitchen handcrafted from premium materials. |  |
| Other | Candy CH64CCB/4U2 ceramic hob |  |
| Other | Midea 3.5 kW cassette split air conditioner |  |
| Other | HD Mars 01 Chrome tileable stainless steel complete shower drain |  |
| Other | Bespoke designer bed handcrafted from premium materials. |  |
| Other | Kielle Oudee – wall-hung toilet with SoftClose seat, rimless, white 30102000 |  |

Manufacturing engineering solution

| Accessories | |
|-------------|---|
| Other | Ariston Quadris WiFi 150 EU electric water heater  |

We provide tailored solutions for every vision, request your personalized offer.

| | |
|-------------------------------------|---|
| Accessories, shipping, installation | Delivery and installation costs are NOT included in the price. The price does NOT include permitting, foundations, electricity and mechanical installations. The price includes accessories. The jacuzzi and pool shown on the visual plan are for illustration purposes only and are not included in the price. |
| Notes | Individual drawing: yes / further measuring necessary: no |

| The customer prepares: |
|--|
| <ul style="list-style-type: none"> -Installation of the electrical supply: recommended 3x400V, 3x20A, C20 circuit breaker, 5x4 silicone cable -Installation of a dedicated electrical distribution board for the sauna with residual current device (RCD / FI relay) -Installation of a UTP (Cat6) cable for the LAN module, with RJ45 connectors at both cable ends -Tiling of the shower walls and floor, provision of a qualified professional -Procurement and installation of shower sanitary equipment and drainage channel -Provision of plumbing works -Procurement and professional installation of an air-conditioning unit -Obtaining any required notifications and building permits -Construction of the concrete foundation as recommended -Ensuring parking space for a truck -Ensuring barrier-free site access (crane provision if necessary) -Provision of a waste container where required -For the proper operation of the control-related application, the Client is obliged to ensure the technical conditions for connection to the home network and to engage a qualified professional to establish the connection. In the absence of this, iSauna Design Kft. assumes no responsibility for the proper functioning of the application. |

| Payment schedule and shipping | | |
|----------------------------------|------|---------------|
| Upon order placement | 50 % | Bank transfer |
| Upon handover at the manufactory | 40 % | Bank transfer |
| Upon installation | 10 % | Bank transfer |

Payment schedule and shipping

Delivery deadline

90-120 days from order date

Warranty:

- Outer construction: 5 years
- Control unit, heat sensor: 1 year
- Harvia sauna oven: 2 years producer warranty
- Painting: 6 months

If the product delivery/installation does not take place until the 30th day after the delivery deadline for reasons attributable to the client, the client is obligated to pay 20 000 HUF + VAT/day starting the 31st day as a contractual penalty.

The producer reserve its right to check the legality of the warranty claim. The producer has the possession rights of the product until the total payment fulfilment. The Hungarian VAT is 27%.

The photos in the cost estimate are illustrations.

We do not provide warranty in case of damages:

- caused by non-proper purpose
- caused by a non-proper maintenance
- caused by power fluctuations, direct or indirect nature catastrophes
- caused by a non-proper installation, maintenance or external impacts, if the installation is not done by the iSauna Design Kft.

GDPR Information:

We use your personal data (name, address, phone number, e-mail address) in the cost estimate in accordance with par. 1/b art. 6 2016/679 of the EU-Regulation. Upon request, we delete your personal data. In this case, please send us a mail containing the reason for recall to info@saunamanufacture.com.

The iSauna Design Kft. cannot take any responsibility during the existence of this contract for service changes or contract failures caused by COVID or state of war. In those vis major cases the iSauna Design Kft. reserves the right to contract termination.

!de!Megrendelő

!de!Vállalkozó